



A117

Stub Drill



118° point up to 1,5mm



d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
	1.00	0.0394	6	26	A1171.0	11.90
	1.10	0.0433	7	28	A1171.1	12.45
	1.20	0.0472	8	30	A1171.2	11.60
	1.30	0.0512	8	30	A1171.3	11.05
	1.40	0.0551	9	32	A1171.4	10.75
	1.50	0.0591	9	32	A1171.5	9.16
	1.60	0.0630	10	34	A1171.6	8.95
	1.70	0.0669	10	34	A1171.7	9.69
	1.80	0.0709	11	36	A1171.8	8.54
	1.90	0.0748	11	36	A1171.9	9.23
	2.00	0.0787	12	38	A1172.0	8.21
	2.10	0.0827	12	38	A1172.1	9.04
	2.20	0.0866	13	40	A1172.2	8.06
	2.30	0.0906	13	40	A1172.3	3.84
	2.40	0.0945	14	43	A1172.4	8.06
	2.50	0.0984	14	43	A1172.5	4.53
	2.60	0.1024	14	43	A1172.6	8.17
	2.70	0.1063	16	46	A1172.7	9.11
	2.80	0.1102	16	46	A1172.8	8.21
	2.90	0.1142	16	46	A1172.9	9.23
	3.00	0.1181	16	46	A1173.0	5.85
	3.10	0.1220	18	49	A1173.1	5.82
1/8	3.18	0.1250	18	49	A1171/8	6.09
	3.20	0.1260	18	49	A1173.2	5.38
	3.30	0.1299	18	49	A1173.3	5.16

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
	3.40	0.1339	20	52	A1173.4	5.16
	3.50	0.1378	20	52	A1173.5	5.39
	3.60	0.1417	20	52	A1173.6	5.69
	3.70	0.1457	20	52	A1173.7	5.87
	3.80	0.1496	22	55	A1173.8	6.95
	3.90	0.1535	22	55	A1173.9	6.88
5/32	3.97	0.1563	22	55	A1175/32	7.84
	4.00	0.1575	22	55	A1174.0	6.48
	4.10	0.1614	22	55	A1174.1	6.58
	4.20	0.1654	22	55	A1174.2	6.51
	4.30	0.1693	24	58	A1174.3	7.85
	4.40	0.1732	24	58	A1174.4	7.55
	4.50	0.1772	24	58	A1174.5	10.25
	4.60	0.1811	24	58	A1174.6	8.08
	4.70	0.1850	24	58	A1174.7	7.90
3/16	4.76	0.1875	26	62	A1173/16	9.21
	4.80	0.1890	26	62	A1174.8	8.77
	4.90	0.1929	26	62	A1174.9	9.01
	5.00	0.1969	26	62	A1175.0	8.57
	5.10	0.2008	26	62	A1175.1	8.43
	5.20	0.2047	26	62	A1175.2	10.70
	5.30	0.2087	26	62	A1175.3	10.70
	5.40	0.2126	28	66	A1175.4	10.85
	5.50	0.2165	28	66	A1175.5	9.79
	5.60	0.2205	28	66	A1175.6	11.55
	5.70	0.2244	28	66	A1175.7	10.70
	5.80	0.2283	28	66	A1175.8	11.45
	5.90	0.2323	28	66	A1175.9	11.95
	6.00	0.2362	28	66	A1176.0	10.65
	6.10	0.2402	31	70	A1176.1	12.30
	6.20	0.2441	31	70	A1176.2	11.10
	6.30	0.2480	31	70	A1176.3	11.10
1/4	6.35	0.2500	31	70	A1171/4	15.10
	6.40	0.2520	31	70	A1176.4	11.85
	6.50	0.2559	31	70	A1176.5	12.10
	6.60	0.2598	31	70	A1176.6	13.70
	6.70	0.2638	31	70	A1176.7	12.75
	6.80	0.2677	34	74	A1176.8	13.50
	6.90	0.2717	34	74	A1176.9	15.20
	7.00	0.2756	34	74	A1177.0	13.40
	7.10	0.2795	34	74	A1177.1	14.50
	7.20	0.2835	34	74	A1177.2	16.55
	7.30	0.2874	34	74	A1177.3	17.60
	7.40	0.2913	34	74	A1177.4	17.80
	7.50	0.2953	34	74	A1177.5	22.45
	7.60	0.2992	37	79	A1177.6	19.00

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
	7.70	0.3031	37	79	A1177.7	19.45
	7.80	0.3071	37	79	A1177.8	18.80
	7.90	0.3110	37	79	A1177.9	19.05
5/16	7.94	0.3125	37	79	A1175/16	20.30
	8.00	0.3150	37	79	A1178.0	18.30
	8.10	0.3189	37	79	A1178.1	21.65
	8.20	0.3228	37	79	A1178.2	21.40
	8.30	0.3268	37	79	A1178.3	21.30
	8.40	0.3307	37	79	A1178.4	22.90
	8.50	0.3346	37	79	A1178.5	19.50
	8.60	0.3386	40	84	A1178.6	22.90
	8.70	0.3425	40	84	A1178.7	22.55
	8.80	0.3465	40	84	A1178.8	25.95
	8.90	0.3504	40	84	A1178.9	27.15
	9.00	0.3543	40	84	A1179.0	32.25
	9.10	0.3583	40	84	A1179.1	27.15
	9.20	0.3622	40	84	A1179.2	26.90
	9.30	0.3661	40	84	A1179.3	26.80
	9.40	0.3701	40	84	A1179.4	26.20
	9.50	0.3740	40	84	A1179.5	23.25
3/8	9.52	0.3750	43	89	A1173/8	34.65
	9.60	0.3780	43	89	A1179.6	29.35
	9.70	0.3819	43	89	A1179.7	29.50
	9.80	0.3858	43	89	A1179.8	25.30
	9.90	0.3898	43	89	A1179.9	29.45
	10.00	0.3937	43	89	A11710.0	26.90
	10.20	0.4016	43	89	A11710.2	26.10
	10.50	0.4134	43	89	A11710.5	30.35
	11.00	0.4331	47	95	A11711.0	30.60
	11.50	0.4528	47	95	A11711.5	34.90
	12.00	0.4724	51	102	A11712.0	37.40
1/2	12.70	0.5000	51	102	A1171/2	56.60
	13.00	0.5118	51	102	A11713.0	54.40